



MSD

*Louisville and Jefferson County Metropolitan Sewer District
700 West Liberty Street
Louisville Kentucky 40203-1911
502-540-6000
www.msdlouky.org*

May 4, 2006

CERTIFIED MAIL

Jessie Wilcox
Service Line
2320 Zinga Drive
Reedsburg, WI 53959

Subject: Potential Industrial Wastewater Discharge

Dear Ms. Wilcox:

Based on the data you submitted for review, there should be no problem with your request to dispose of the Renegade wastewater into sanitary discharge. However, each individual industry will need to complete following steps before disposal can be allowed.

Below is the process for permitting potential industries for the Louisville Jefferson County Metropolitan Sewer District (MSD):

Industries will be provided a pretreatment application and Wastestream Classification Sheet (WCS) to be completed and submitted. If is determined by review of the application and WCS that the facility needs to be permitted, a General Discharge Permit will be issued, and the industry will have to meet the discharge parameters set forth in the permit. MSD has the authority to conduct routine inspections of permitted and potentially permitted industries.

If the completed application and WCS provides evidence that the industry does not need to be permitted, the facility must still comply with the requirements of MSD's Wastewater Discharge Regulations (WDR's). MSD reserves the right to have the industry sample and submit results to ensure that the WDR's, EPA and local limits are being met. If these limits are exceeded, MSD will revisit the situation for possible permitting.

Sincerely,

Lisa A. Gaus
Emergency Response Pretreatment Administrator

LAG:dmt
Enclosure



*Beneficial Use of Louisville's Biosolids
www.louisvillegreen.com*